

- 1) Jagger, J., Perry, J., Gomaa, A., & Phillips, E. K. (2008). The impact of U.S. policies to protect healthcare workers from bloodborne pathogens: the critical role of safety-engineered devices. *J Infect Public Health*, 1(2), 62-71.
- 2) O'Malley, E. M., Scott, R. D., 2nd, Gayle, J., Dekutoski, J., Foltzer, M., Lundstrom, T. S., et al. (2007). Costs of management of occupational exposures to blood and body fluids. *Infect Control Hosp Epidemiol*, 28(7), 774-782.
- 3) UK Health Departments Guidance for Clinical Health Care Workers, (1998). *Protection against Infection with blood-borne viruses. Recommendations of the Expert Advisory Group on AIDS and the Advisory Group on Hepatitis*. Retrieved September 20, 2010 www.dh.gov.uk/en/Publicationsandstatistics/PublicationsPolicyAndGuidance/DH_4002766
- 4) Heptonstall, J., Turnbull, S., Henderson, D., Morgan, D., Harling, K., & Scott, G. (1999). Sharps injury! A review of controversial areas in the management of sharps accidents. *J Hosp Infect*, 43 Suppl, S219-223.
- 5) Adams, D., & Elliott, T. S. (2006). Impact of safety needle devices on occupationally acquired needlestick injuries: a four-year prospective study. *J Hosp Infect*, 64(1), 50-55.
- 6) Valls, V., Lozano, M.S., Yanez, R., Martinez, M.J., Pascual, F., Lloret, J. & Ruiz, J.A. (2007) Use of safety devices and the prevention of percutaneous injuries among health care workers. *Infection Control Hospital Epidemiology*; 28: 12, pp1352-60.
- 7) Health Protection Agency Centre for Infections, National Public Health Service for Wales, CDSC Northern Ireland and Health Protection Scotland. Eye of the Needle. *Surveillance of Significant Occupational Exposure to Blood Borne Viruses in Healthcare Workers*. November 2008.

- 8) Williamson, B.J. (2001). The New OSHA Regulations on Sharps Safety Requirements. ASOA Congress on Ophthalmic Practice Management. Available from www.diamatrix.com/pdf/sharpsafety.pdf
- 9) Trim, J. C., & Elliott, T. S. (2003). A review of sharps injuries and preventative strategies. *J Hosp Infect*, 53(4), 237-242.
- 10) Massachusetts Department of Public Health Occupational Health Surveillance Program. (2009). Sharps Injuries among Hospital Workers in Massachusetts, 2008: *Findings from the Massachusetts Sharps Injury Surveillance System*.
- 11) Haiduven, D. J., Simpkins, S. M., Phillips, E. S., & Stevens, D. A. (1999). A survey of percutaneous/mucocutaneous injury reporting in a public teaching hospital. *Journal of Hospital Infection*, 41(2), 151-154.
- 12) Kiss, P., De Meester, M., & Braeckman, L. (2008). Needlestick injuries in nursing homes: the prominent role of insulin pens. *Infect Control Hosp Epidemiol*, 29(12), 1192-1194.
- 13) Shaban, R., Creedy, D., Clark, M. (2004). Management of Sharps in Ambulance Care: A State-wide survey of paramedic knowledge and reported practice. *Australian Infection control*, 9(4),120-125.
- 14) Pratt, R. J., Pellowe, C. M., Wilson, J. A., Loveday, H. P., Harper, P. J., Jones, S. R., et al. (2007). epic2: National evidence-based guidelines for preventing healthcare-associated infections in NHS hospitals in England. *J Hosp Infect*, 65 Suppl 1, S1-64.
- 15) Clarke, S. P., Rockett, J. L., Sloane, D. M., & Aiken, L. H. (2002). Organizational climate, staffing, and safety equipment as predictors of needlestick injuries and near-misses in hospital nurses. *Am J Infect Control*, 30(4), 207-216.

- 16) Shiao, J. S., McLaws, M. L., Huang, K. Y., & Guo, Y. L. (2001). Sharps injuries among hospital support personnel. *J Hosp Infect*, 49(4), 262-267.
- 17) Wilburn, S. Q., & Eijkemans, G. (2004). Preventing needlestick injuries among healthcare workers: a WHO-ICN collaboration. *Int J Occup Environ Health*, 10(4), 451-456.
- 18) Pellissier, G., Miguères, B., Tarantola, A., Abiteboul, D., Lolom, I., & Bouvet, E. (2006). Risk of needlestick injuries by injection pens. *J Hosp Infect*, 63(1), 60-64.
- 19) Castella, A., Vallino, A., Argentero, P. A., & Zotti, C. M. (2003). Preventability of percutaneous injuries in healthcare workers: a year-long survey in Italy. *J Hosp Infect*, 55(4), 290-294.
- 20) Kinlin, L. M., Mittleman, M. A., Harris, A. D., Rubin, M. A., & Fisman, D. N. Use of gloves and reduction of risk of injury caused by needles or sharp medical devices in healthcare workers: results from a case-crossover study. *Infect Control Hosp Epidemiol*, 31(9), 908-917.
- 21) Soule, B. (1995). Infection Prevention and the Policy Process. In Soule, B., Larson, E. & Preston, G (Eds.), *Infection and Nursing Practice prevention and control* (p 193-215) St Louis: Mosby.
- 22) United States Department of Labour Occupational Safety and Health Administration Bloodborne Pathogens and Needle Stick Prevention. Available from www.osha.gov/SLTC/bloodbornepathogens/index.html
- 23) Gainsbury S, Lomas C. Myths could leave nurses in danger of sharps injuries. (2010 Mar 16). *Nursing times.net*
- 24) Department of Labour. (1992) The Health and Safety in Employment Act (1992) www.osh.dol.govt.nz/order/catalogue/hseact-text/index.shtml. Retrieved 02/11/2012.

- 25) Pruss-Ustun, A., Rapiti, E., & Hutin, Y. (2005). Estimation of the global burden of disease attributable to contaminated sharps injuries among health-care workers. *Am J Ind Med*, 48(6), 482-490.
- 26) Tuma, S., & Sepkowitz, K. A. (2006). Efficacy of safety-engineered device implementation in the prevention of percutaneous injuries: a review of published studies. *Clin Infect Dis*, 42(8), 1159-1170.
- 27) Gershon, R. R., Pearson, J. M., Sherman, M. F., Samar, S. M., Canton, A. N., & Stone, P. W. (2009). The prevalence and risk factors for percutaneous injuries in registered nurses in the home health care sector. *Am J Infect Control*, 37(7), 525-533.
- 28) Leiss, J. K. Provision and use of safety-engineered medical devices among home care and hospice nurses in North Carolina. *Am J Infect Control*, 38(8), 636-639.